

SolarTech PCMS Selection Guide

How to choose the correct model for your location and application

Silent Messenger - MB (Full Size Full Matrix PCMS)

Economy (23 deg.) Display		MegaFlux (60 deg.) Display	
Intermittent Usage (<60 days per use)	Continuous Usage (year round)	Intermittent Usage (<60 days per use)	Continuous Usage (year round)
MB-1548 (150W & 4 batteries)	MB-1548 (150W & 8 batteries)	MB-2248 (225W & 8 batteries)	MB-2248 (225W & 8 batteries)
MB-1548 (150W & 8 batteries)	MB-1548 (225W & 8 batteries)	MB-2248 (225W & 8 batteries)	MB-3048 (300W & 8 batteries)
MB-1548 (225W & 8 batteries)	MB-1548 (300W & 8 batteries)	MB-3048 (300W & 8 batteries)	MB-3748 or MB-4048 (375W/450W & 8 batteries)


Silent Messenger II - MB2 (Mid-Size Full Matrix PCMS)

Economy (23 deg.) Display		MegaFlux (60 deg.) Display	
Intermittent Usage (<60 days per use)	Continuous Usage (year round)	Intermittent Usage (<60 days per use)	Continuous Usage (year round)
MB2-1548 (150W & 4 batteries)	MB2-1548 (150W & 4 batteries)	MB2-2248 (225W & 8 batteries)	MB2-2248 (225W & 8 batteries)
MB2-1548 (150W & 4 batteries)	MB2-1548 (150W & 8 batteries)	MB2-2248 (225W & 8 batteries)	MB2-2248 (225W & 8 batteries)
MB2-1548 (150W & 8 batteries)	MB2-1548 (225W & 8 batteries)	MB2-2248 (225W & 8 batteries)	MB2-3048 (300W & 8 batteries)

Silent Messenger III - MB3 (Small-Size Full Matrix PCMS)

Economy (23 deg.) Display		MegaFlux (60 deg.) Display	
Intermittent Usage (<60 days per use)	Continuous Usage (year round)	Intermittent Usage (<60 days per use)	Continuous Usage (year round)
MB3-1548 (150W & 2 batteries)	MB3-1548 (150W & 2 batteries)	MB3-2248 (225W & 4 batteries)	MB3-2248 (225W & 4 batteries)
MB3-1548 (150W & 2 batteries)	MB3-1548 (150W & 4 batteries)	MB3-2248 (225W & 4 batteries)	MB3-2248 (225W & 4 batteries)
MB3-1548 (150W & 4 batteries)	MB3-1548 (225W & 4 batteries)	MB3-2248 (225W & 4 batteries)	MB3-2248 (225W & 4 batteries)

USA



Canada

